

☐ Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

Results for "(((enumeration<in>metadata) <and> (memory<in>metadata))<and> (allocat..."
Your search matched 2 of 1415139 documents.
A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

 [e-mail](#)

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

(((enumeration<in>metadata) <and> (memory<in>metadata))<and> (allocation<

[Search](#)

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)

[Select All](#) [Deselect All](#)

- ☐ 1. Automatic allocation of arrays to memories in FPGA processors with mul banks
Gokhale, M.B.; Stone, J.M.;
[Field-Programmable Custom Computing Machines, 1999. FCCM '99. Proceedi](#)
[Annual IEEE Symposium on](#)
21-23 April 1999 Page(s):63 - 69
Digital Object Identifier 10.1109/FPGA.1999.803668
[AbstractPlus](#) | Full Text: [PDF](#)(188 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. The alignment problem in a linear algebra framework
Diderich, C.G.; Gengler, M.;
[System Sciences, 1997. Proceedings of the Thirtieth Hawaii International Conf](#)
Volume 1, 7-10 Jan. 1997 Page(s):586 - 595 vol.1
Digital Object Identifier 10.1109/HICSS.1997.667406
[AbstractPlus](#) | Full Text: [PDF](#)(1088 KB) IEEE CNF
[Rights and Permissions](#)



☐ Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

Results for "((garbage<in>metadata) <and> (collection<in>metadata))<and> (mark<...>"

☒ e-mail

Your search matched 2 of 488547 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

((garbage<in>metadata) <and> (collection<in>metadata))<and> (mark<in>metad

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard.

[Select All](#) [Deselect All](#)

- ☐ 1. Distributed Garbage Collection Algorithms for Timestamped Data
Ramachandran, U.; Knobe, K.; Harel, N.; Mandviwala, H.A.;
[Parallel and Distributed Systems, IEEE Transactions on](#)
Volume 17, Issue 10, Oct. 2006 Page(s):1057 - 1071
Digital Object Identifier 10.1109/TPDS.2006.138
[AbstractPlus](#) | Full Text: [PDF](#)(2488 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. Yama: a scalable generational garbage collector for Java in multiprocess
Muthukumar, R.M.; Janakiram, D.;
[Parallel and Distributed Systems, IEEE Transactions on](#)
Volume 17, Issue 2, Feb. 2006 Page(s):148 - 159
Digital Object Identifier 10.1109/TPDS.2006.28
[AbstractPlus](#) | Full Text: [PDF](#)(3560 KB) IEEE JNL
[Rights and Permissions](#)

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((garbage<in>metadata) <and> (collection<in>metadata))<and> (mark<...>)

Your search matched 13 of 1415139 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

☒ e-mail

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

(((garbage<in>metadata) <and> (collection<in>metadata))<and> (mark<in>meta

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **Scalable hardware-algorithm for mark-sweep garbage collection**
Srisa-An, W.; Chia-Tien Dan Lo; Chang, J.M.;
[Euromicro Conference, 2000. Proceedings of the 26th](#)
Volume 1, 5-7 Sept. 2000 Page(s):274 - 281 vol.1
Digital Object Identifier 10.1109/EURMIC.2000.874643
[AbstractPlus](#) | Full Text: [PDF\(648 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **A performance comparison between stop-the-world and multithreaded cc generational garbage collection for Java**
Lo, C.-T.D.; Srisa-an, W.; Chang, J.M.;
[Performance, Computing, and Communications Conference, 2002. 21st IEEE](#)
3-5 April 2002 Page(s):301 - 308
Digital Object Identifier 10.1109/IPCCC.2002.995163
[AbstractPlus](#) | Full Text: [PDF\(748 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Performance enhancements to the Active Memory System**
Witawas Srisa-an; Lo, C.-T.D.; Chang, J.M.;
[Computer Design: VLSI in Computers and Processors, 2002. Proceedings. 20th International Conference on](#)
16-18 Sept. 2002 Page(s):249 - 256
Digital Object Identifier 10.1109/ICCD.2002.1106778
[AbstractPlus](#) | Full Text: [PDF\(2149 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **A multithreaded concurrent garbage collector parallelizing the new instru**
Lo, C.-T.D.; Srisa-an, W.; Chang, J.M.;
[Parallel and Distributed Processing Symposium., Proceedings International. IP](#)
[Abstracts and CD-ROM](#)
15-19 April 2002 Page(s):59 - 64
Digital Object Identifier 10.1109/IPDPS.2002.1015550
[AbstractPlus](#) | Full Text: [PDF\(213 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **Collecting cyclic garbage in distributed systems**
Xinfeng Ye; Keane, J.;
[Parallel Architectures, Algorithms, and Networks, 1997. \(I-SPAN '97\) Proceedi](#)

International Symposium on
18-20 Dec. 1997 Page(s):227 - 231
Digital Object Identifier 10.1109/ISPAN.1997.645100
[AbstractPlus](#) | Full Text: [PDF\(452 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 6. **Reliable garbage collection in distributed object oriented systems**
Gupta, A.; Fuchs, W.K.;
Computer Software and Applications Conference, 1988. COMPSAC 88. Proce
International
5-7 Oct. 1988 Page(s):324 - 328
Digital Object Identifier 10.1109/CMPSAC.1988.17194
[AbstractPlus](#) | Full Text: [PDF\(416 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 7. **Java virtual machine timing probes: a study of object life span and garba**
Qian Yang; Witawas Srisa-an; Skotiniotis, T.; Chang, J.M.;
Performance, Computing, and Communications Conference, 2002. 21st IEEE
3-5 April 2002 Page(s):73 - 80
Digital Object Identifier 10.1109/IPCCC.2002.995138
[AbstractPlus](#) | Full Text: [PDF\(810 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 8. **Hardware support for concurrent garbage collection in SMP systems**
Chang, J.M.; Srisa-An, W.; Chia-Tien Dan Lo;
High Performance Computing in the Asia-Pacific Region, 2000. Proceedings. 1
International Conference/Exhibition on
Volume 1, 14-17 May 2000 Page(s):513 - 517 vol.1
Digital Object Identifier 10.1109/HPC.2000.846607
[AbstractPlus](#) | Full Text: [PDF\(396 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 9. **Do generational schemes improve the garbage collection efficiency?**
Srisa-an, W.; Chang, J.M.; Chia-Tien Dan Lo;
Performance Analysis of Systems and Software, 2000. ISPASS. 2000 IEEE Int
Symposium on
24-25 April 2000 Page(s):58 - 63
Digital Object Identifier 10.1109/ISPASS.2000.842282
[AbstractPlus](#) | Full Text: [PDF\(276 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 10. **Cache performance of chronological garbage collection**
Yuping Ding; Xining Li;
Electrical and Computer Engineering, 1998. IEEE Canadian Conference on
Volume 1, 24-28 May 1998 Page(s):1 - 4 vol.1
Digital Object Identifier 10.1109/CCECE.1998.682534
[AbstractPlus](#) | Full Text: [PDF\(408 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 11. **Reclaiming storage in an object oriented platform supporting extended C Objective-C applications**
Ferreira, P.;
Object Orientation in Operating Systems, 1991. Proceedings., 1991 Internatio
17-18 Oct. 1991 Page(s):100 - 102
Digital Object Identifier 10.1109/IWOOS.1991.183029
[AbstractPlus](#) | Full Text: [PDF\(288 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- 12. **Garbage collection software integrated with the system swapper in a virt**



system

Katzberg, J.D.; Katzberg, P.;

WESCANEX 93. 'Communications, Computers and Power in the Modern Environment' Conference Proceedings, IEEE

17-18 May 1993 Page(s):184 - 191

Digital Object Identifier 10.1109/WESCAN.1993.270572

AbstractPlus | Full Text: PDF(848 KB) IEEE CNF

Rights and Permissions



13. Practical distributed garbage collection for networks with asynchronous message delay

Goug Kwan; Chin, F.;

Parallel and Distributed Systems, 1994. International Conference on

19-21 Dec. 1994 Page(s):406 - 411

Digital Object Identifier 10.1109/ICPADS.1994.590347


AbstractPlus | Full Text: PDF(532 KB) IEEE CNF

Rights and Permissions

[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2006 IEEE –

Indexed by



☐ Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

Results for "(((mark<in>metadata) <and> (memory<in>metadata))<and> (allocation<..."

Your search matched 9 of 1415139 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

☒ e-mail

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

(((mark<in>metadata) <and> (memory<in>metadata))<and> (allocation<in>meta

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **Performance enhancements to the Active Memory System**
Witawas Srisa-an; Lo, C.-T.D.; Chang, J.M.;
[Computer Design: VLSI in Computers and Processors, 2002. Proceedings. 20th International Conference on](#)
16-18 Sept. 2002 Page(s):249 - 256
Digital Object Identifier 10.1109/ICCD.2002.1106778
[AbstractPlus](#) | Full Text: [PDF](#)(2149 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ 2. **Performance analyses on the generalised buddy system**
Lo, C.-T.D.; Srisa-an, W.; Chang, J.M.;
[Computers and Digital Techniques, IEEE Proceedings-](#)
Volume 148, Issue 45, July-Sept. 2001 Page(s):167 - 175
Digital Object Identifier 10.1049/ip-cdt:20010597
[AbstractPlus](#) | Full Text: [PDF](#)(797 KB) IEE JNL

- ☐ 3. **Extended integrated channel manager (EICM)-an architecture for fast ada allocation in cellular networks with multi-terminal platforms**
Vucetic, J.F.; Dimitrijevic, D.D.;
[Communications, 1992. ICC 92. Conference record, SUPERCOMM/ICC '92, D World of Communications. IEEE International Conference on](#)
14-18 June 1992 Page(s):1316 - 1322 vol.3
Digital Object Identifier 10.1109/ICC.1992.268027
[AbstractPlus](#) | Full Text: [PDF](#)(732 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ 4. **Efficient differential timeslice computation**
Torp, K.; Mark, L.; Jensen, C.S.;
[Knowledge and Data Engineering, IEEE Transactions on](#)
Volume 10, Issue 4, July-Aug. 1998 Page(s):599 - 611
Digital Object Identifier 10.1109/69.706059
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(456 KB) IEEE JNL
[Rights and Permissions](#)

- ☐ 5. **Java virtual machine timing probes: a study of object life span and garba**
Qian Yang; Witawas Srisa-an; Skotiniotis, T.; Chang, J.M.;
[Performance, Computing, and Communications Conference, 2002. 21st IEEE](#)
3-5 April 2002 Page(s):73 - 80

Digital Object Identifier 10.1109/IPCCC.2002.995138

[AbstractPlus](#) | Full Text: [PDF](#)(810 KB) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **6. Scalable hardware-algorithm for mark-sweep garbage collection**
Srisa-An, W.; Chia-Tien Dan Lo; Chang, J.M.;
[Euromicro Conference, 2000. Proceedings of the 26th](#)
Volume 1, 5-7 Sept. 2000 Page(s):274 - 281 vol.1
Digital Object Identifier 10.1109/EURMIC.2000.874643
[AbstractPlus](#) | Full Text: [PDF](#)(648 KB) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ **7. Hardware support for concurrent garbage collection in SMP systems**
Chang, J.M.; Srisa-An, W.; Chia-Tien Dan Lo;
[High Performance Computing in the Asia-Pacific Region, 2000. Proceedings. 1](#)
[International Conference/Exhibition on](#)
Volume 1, 14-17 May 2000 Page(s):513 - 517 vol.1
Digital Object Identifier 10.1109/HPC.2000.846607
[AbstractPlus](#) | Full Text: [PDF](#)(396 KB) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ **8. Simulation of marked graphs on SIMD architectures using efficient memo**
Sellami, H.; Allen, J.D.; Schimmel, D.E.; Yalamanchili, S.;
[Modeling, Analysis, and Simulation of Computer and Telecommunication Systems](#)
[MASCOTS '94., Proceedings of the Second International Workshop on](#)
31 Jan.-2 Feb. 1994 Page(s):343 - 348
Digital Object Identifier 10.1109/MASCOT.1994.284401
[AbstractPlus](#) | Full Text: [PDF](#)(440 KB) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ **9. Learning to forget: continual prediction with LSTM**
Gers, F.A.; Schmidhuber, J.; Cummins, F.;
[Artificial Neural Networks, 1999. ICANN 99. Ninth International Conference on](#)
[470\)](#)
Volume 2, 7-10 Sept. 1999 Page(s):850 - 855 vol.2
[AbstractPlus](#) | Full Text: [PDF](#)(448 KB) [IEEE CNF](#)

[Web](#) [Images](#) [Video](#) ^{New!} [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 26,700 for **garbage collection enumeration comprises lazy**. (0.17 seconds)**[PDF] Implementing A Cyclic Distributed Garbage Collector for a ...**

File Format: PDF/Adobe Acrobat

Distributed **garbage collection comprises** of three inter-related tasks: ... Note that globalmin could be computed with a **lazy** distributed consensus. ...

www.doc.ic.ac.uk/teaching/projects/Distinguished99/SanjayBhudia.pdf - [Similar pages](#)

[PDF] Visualising The Train Garbage CollectorFile Format: PDF/Adobe Acrobat - [View as HTML](#)

For a good introduction to **garbage collection** the reader is re- ... using graph **enumeration**. Beginning with the simplest component. (the radical CH ...

research.sun.com/projects/gcspy/printezis-garthwaite-ismm2002.pdf - [Similar pages](#)

[PDF] Compile-Time Garbage Collection for the Declarative Language Mercury

File Format: PDF/Adobe Acrobat

We study the technique of compile-time **garbage collection** in the context of ... The **enumeration** is not exhaustive, therefore the switch may ...

www.cs.mu.oz.au/research/mercury/information/papers/CW2004_03_mazur.pdf -

[Similar pages](#)**[PDF] A concurrent, generational garbage collector for a multithreaded ...**

File Format: PDF/Adobe Acrobat

At the beginning. of the root. **enumeration**. phase,. the. **collector**. sets a global ... **lazy**. structures. with speculative. evaluation. The measurements ...

portal.acm.org/ft_gateway.cfm?id=158611&type=pdf - [Similar pages](#)

[PDF] A STRUCTURAL REPRESENTATION FOR VLSI DESIGN

File Format: PDF/Adobe Acrobat

an incremental **garbage collector**. and Cedar support for ... The most basic operation provided is the **enumeration** of a. hierarchical net list data structure. ...

[portal.acm.org/ft_gateway.cfm?id=285769&](http://portal.acm.org/ft_gateway.cfm?id=285769&type=pdf&coll=&dl=acm&CFID=15151515&CFTOKEN=6...)

[type=pdf&coll=&dl=acm&CFID=15151515&CFTOKEN=6...](http://portal.acm.org/ft_gateway.cfm?id=285769&type=pdf&coll=&dl=acm&CFID=15151515&CFTOKEN=6...) - [Similar pages](#)

[[More results from portal.acm.org](#)]

[PDF] VM: A Virtual Machine for Strict Evaluation of (Co)Recursive Functions

File Format: PDF/Adobe Acrobat

the power of strict coreursion are unbounded **enumeration** algorithms such ... Java **garbage collector** for memory management. A reference counting im- ...

www.springerlink.com/index/WTQ1TC4TH65KN8VC.pdf - [Similar pages](#)

[PDF] Flexible Bytecode for Linking in .NETFile Format: PDF/Adobe Acrobat - [View as HTML](#)

CLR: there are no Windows-specific APIs, and the JIT compiler and **garbage. collector** are much simpler. Rotor **comprises** 1.9 million lines of C++, ...

slurp.doc.ic.ac.uk/pubs/flexiblebytecodefordotnet-bytecode05.pdf - [Similar pages](#)

[VM '04 — Technical Paper](#)

ORP **comprises** three components: a just-in-time compiler (JIT), a **garbage collector**, and a core virtual machine (VM). Interaction between these components is ...

www.usenix.org/events/vm04/tech/full_papers/glew/glew_html/index.html - 90k -

[PDF] **FUNCTIONAL PEARL** Enumerating the strings of regular languages

Lazy languages are well suited to sequence generation because of the ... compilation and **garbage collection**. Then the set operations in r2n' take worst-case ...
journals.cambridge.org/article_S0956796803004982 - [Similar pages](#)

Looking up string bindings with unresolved endpoints (**lazy** use protseq). Another interesting topic is **garbage collection** of stored string binding vectors. ...

Cached - Similar pages

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

garbage collection enumeration com

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Web](#) [Images](#) [Video](#) ^{New!} [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 14,400 for lazily selectively root object garbage collection. (0.20 seconds)

[PDF] [LNCS 3302 - Exploiting Java Objects Behavior for Memory Management ...](#)

File Format: PDF/Adobe Acrobat

re-initialization can be performed **lazily** in order to minimize its cost. ... Timing Probes: A

Study of **Object** Life Span and **Garbage Collection**. Proceed- ...

www.springerlink.com/index/8KXT79AX89XDRKFC.pdf - [Similar pages](#)

[PDF] [Aliasing in Object Oriented Systems](#)

File Format: PDF/Adobe Acrobat

The performance of **garbage collection**, cpu caches, virtual memory,. distributed **object** systems ... another **object** or the ambient **root object** of the system. ...

www.springerlink.com/index/N1GKGXAGCD70PPQA.pdf - [Similar pages](#)

[PDF] [Incremental Garbage Collection I - Wirth](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Doing so the **collector** reduces the chance to copy **garbage**. into Tospace. The solution for the second problem is to copy large. **objects** only **lazily**. ...

www.ssw.uni-linz.ac.at/Teaching/Lectures/Sem/2005/Reports/Wirth.pdf - [Similar pages](#)

[PDF] [Ropes: an Alternative to Strings](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

read **lazily**, and not kept in memory. This implementation is, however, not nearly ... Hans-J. Boehm and Mark Weiser, '**Garbage collection** in an uncooperative ...

www.cs.ubc.ca/local/reading/proceedings/spe91-95/spe/vol25/issue12/spe986.pdf -

[Similar pages](#)

[LimSee2_History_ListOfChanges](#)

Fixed bug in the **Garbage Collector** label (status bar), where text would not fit ... DTDs are now cached (application level, not document level) and **lazily** ...

limsee2.gforge.inria.fr/history.html - 41k - [Cached](#) - [Similar pages](#)

[\(course on\) garbage collecting](#)

So here is what finally appears to me as a course in **garbage collection** for those ... an **object**, it might as well be forgotten and replaced by some **lazily** ...

lists.tunes.org/archives/tunes/1994-December/000391.html - 17k - [Cached](#) - [Similar pages](#)

[PDF] [i ABSTRACT Virtual machines VMs have been used to accelerate ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

garbage collector, also simulated above, and **object** co-location. ... Rather, space is merely reserved so that the copy can be done **lazily**. ...

www.cs.wisc.edu/arch/uwarch/theses/heil.pdf - [Similar pages](#)

[PDF] [PaUI ButterMorth Allen Otis Jacob Stein](#)

File Format: PDF/Adobe Acrobat

on-line **garbage collection** and. backup; and replicates allowed ... could **lazily** fetch the modified val-. ues of these **objects** when and if ...

[portal.acm.org/ft_gateway.cfm?id=125254&](http://portal.acm.org/ft_gateway.cfm?id=125254&type=pdf&dl=&dl=acm&CFID=15151515&CFTOKEN=6184618)

[type=pdf&dl=&dl=acm&CFID=15151515&CFTOKEN=6184618](http://portal.acm.org/ft_gateway.cfm?id=125254&type=pdf&dl=&dl=acm&CFID=15151515&CFTOKEN=6184618) - [Similar pages](#)

[doc] [AN OBJECT-ORIENTED FRAMEWORK](#)

www.laputan.org/reflection/ooffrmla.doc - Similar pages

www.userix.org/events/osdi02/tech/full_papers/hawblitzel/hawblitzel_html/index.html - 77k -
Cached - Similar pages

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

lazily selectively root object garbage Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Web](#) [Images](#) [Video](#) ^{New!} [News](#) [Maps](#) [more »](#)

lazily selectively root object garbage collection

[Search](#)[Advanced Search](#)
[Preferences](#)**Web** Results 41 - 50 of about 14,400 for lazily selectively root object garbage collection. (0.27 seconds)**[PDF]** [SNAP: Efficient Snapshots for Back-in-Time Execution](#)

File Format: PDF/Adobe Acrobat

storage system **lazily** copies **objects** to an archive. Unlike ... 4.5 **Garbage collection** policies. Suppose on average each snapshot version deposits ...
ieeexplore.ieee.org/iel5/9680/30564/01410154.pdf - [Similar pages](#)

[PDF] [VisualWorks](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

needs to obtain an initial set of references to relevant **root objects** that will ... support distributed **garbage collection**. Therefore, the existence of an ...
www.cincom.com/downloads/pdf/OpenTalkDevGuide.pdf - [Similar pages](#)

[PDF] [OBJECT MANAGEMENT SUPPORT FOR THE CONSTRUCTION OF COMPLEX ...](#)

File Format: PDF/Adobe Acrobat

process, but we did not assume the presence of a **garbage collector**. Without one, a scanning technique requires identification of a set of **root** **objects** from ...
laser.cs.umass.edu/techreports/96-Tarr.pdf - [Similar pages](#)

[PDF] [Relational Queries Over Program Traces](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

fied by the **garbage collector** when tracked **objects** are collected. ... such queries it suffices to allocate an **object's** record **lazily**, when a ...
http.cs.berkeley.edu/~sfg/particle/particle.pdf - [Similar pages](#)

[PS] [Abstract Contents](#)File Format: Adobe PostScript - [View as Text](#)

collection algorithm we described earlier:. 1. Distinguish the live **objects** from the **garbage**. This is done by tracing|starting at the **root** ...
www.cs.nuim.ie/~jpower/Courses/se209/garbage/bigssurv.ps.gz - [Similar pages](#)

[doc] [Subtext: Uncovering the Simplicity of Programming](#)File Format: Microsoft Word - [View as HTML](#)

Instead, vectors are drawn **selectively** and interactively. ... inefficient scheme, but perhaps no more so than **garbage collection** seemed 30 years ago. ...
subtextual.org/OOPSLA05.doc - [Similar pages](#)

[Citations: Design Issues for Persistent Java: a type-safe ...](#)

A **Selective** Protection Scheme for the Java Environment - Hagimont, Krakowiak. ... Main memory **garbage collection** of **objects** is one of the features of the ...
citeseer.comp.nus.edu.sg/context/113986/0 - 72k - [Cached](#) - [Similar pages](#)

[JVM\(TM\) Tool Interface 1.1.95](#)

Describes (but does not pass in) an **object** that is a **root** for the purposes of **garbage collection**. Return value should be JVMTI_ITERATION_CONTINUE to ...
java.sun.com/javase/6/docs/platform/jvmti/jvmti.html - [Similar pages](#)

[PS] [Address Translation and Storage Management for Persistent Object ...](#)

File Format: Adobe PostScript

Mneme implements reachability-based persistence, as well as **garbage collection** for all.

objects reachable from a persistent **root**. The basic mechanism relies ...
www.cs.utexas.edu/ftp/pub/garbage/kakkad-dissertation.ps.gz - [Similar pages](#)


[PDF] **Java Data Objects 2.0**

File Format: PDF/Adobe Acrobat

A JDO implementation is a **collection** of classes that implement the JDO contracts. ...

object graph fetched starting with the **root objects**; and flags that ...

speedo.objectweb.org/doc/jdo_2_0-spec.pdf - [Similar pages](#)



Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google